


Certificate of Analysis

MC-265

L-Serine, [14C(U)]-



Lot #: 842-160-156-A-20180423-SBA


Specific Activity: 156.0 mCi/mmol

Concentration: 0.1 mCi/ml; 0.07 µg/ml

Packaged in: Ethanol: water (2:98) solution

Date of Analysis: November 5, 2019

*Radiochemical Purity: 98%



HPLC ANALYSIS LOT 842-160-156-A-20180423-SBAFile Name: intB4014 Date and Time: 11/5/2019 3:01:55 PM
Unit 11 Radio

Peak #	Area %	Time	Area
1	0.30	3.97670	76.70306
2	0.19	6.79330	48.50623
3	0.06	9.66670	16.01304
4	98.29	10.46670	25059.74908
5	0.20	11.82000	51.10215
6	0.76	12.52670	194.33334
7	0.19	13.34330	48.80777
Totals	100.00		25495.21467

Stability and Storage Recommendation: The rate of decomposition is approximately 0.1-0.5%/month for the first six months after purification when stored at 0-5°C.

'Quality Level Disclaimer: Results were obtained utilizing non-qualified instrumentation, methods that have not been validated or transferred, and analyses not performed according to a formal, documented, analytical protocol.

When handling this radiochemical, please refer to the safe handling of isotopes document provided with your shipment. If the document is misplaced, a link to a copy is available at www.moravek.com/customer-service.

In addition to the hazard connected with radiation, this compound also has chemical safety characteristics that need to be taken into account before it can be safely worked with. For assistance with designing a safe working environment and procedures for this and all chemicals at your workplace, please contact OSHA at 800-321-6742(OSHA) or https://www.osha.gov/html/Feed_Back.html.

Caution: This material was manufactured under research grade conditions and is intended for investigational or manufacturing use only. It is pharmaceutically unrefined and is not suitable for use in humans or clinical diagnosis. Responsibility for its use and compliance with federal law rests solely with the purchaser. If the compound and/or any associated information/documentation derived from its use could be used for any potential future fillings, research grade material is not recommended.